



DX 6

Powder-actuated tool

Data Sheet










07 Aug 2025

CONTENTS










1	Tool variants	3
2	Fastener guides, pistons and fasteners	4
3	Cartridges	5
4	Other accessories	5

1 TOOL VARIANTS



Image	Tool variant	Fastener guide
	DX 6 F8	X-6-F8
	DX 6 F10	X-6-F10
	DX 6 GR	X-6-FGR
	DX 6 IE	X-6-FIE-L or X-6-FIE-XL
	DX 6 Kit	X-6-F8, X-6-MX 72, X-6-FIE-L, X-6-FIE-XL
	DX 6 MX	X-6-MX 72

 • Please refer to your local website to check the availability and the content of the specific tool variant

2 FASTENER GUIDES, PISTONS AND FASTENERS

Image	Fastener guide	Compatible piston	Compatible fastener	Function
	X-6-F8	X-6-5-P8	Single nails and threaded studs with 8 mm plastic washer	
		X-6-5-P8W	Single nails with 8 mm plastic washer	Nail overdriving into wood
		X-6-5-P8AL	X-ALH nails	
		X-6-5-Pkwik	DX-KWIK nails, studs	
	X-6-F8N10	X-6-5-P8	Single nails and threaded studs with 8 mm plastic washer	
		X-6-5-P8W	Single nails with 8 mm plastic washer	Nail overdriving into wood
		X-6-5-P8AL	X-ALH nails	
	X-6-F8N15	X-6-5-P8	Single nails and threaded studs with 8 mm plastic washer	
		X-6-5-P8W	Single nails with 8 mm plastic washer	Nail overdriving into wood
		X-6-5-P8AL	X-ALH nails	
	X-6-F8 T	X-6-5-P8	Single nails with 8 mm plastic washer	Reducing spalling
	X-6-F10	X-6-5-P10	M10/W10 threaded studs, Single nails with 10 mm plastic washer	
	X-6-FGR	X-6-5-PGR	e.g. X-GR, X-PGR-RU	Fastening grating elements
	X-6-FIE-L	X-6-5-PIE-L	X-IE fasteners	Fastening insulation, Insulation thickness up to 140 mm
	X-6-FIE-XL	X-6-5-PIE-XL	X-IE fasteners	Fastening insulation, Insulation thickness up to 200 mm
	X-6-MX 72	X-6-5-P8	Collated nails	
		X-6-5-P8W	Collated nails	Nail overdriving into wood

3 CARTRIDGES

Image	Cartridge type		Caliber	Color code	Energy scale according to	
					EN 16284	PATMI
	6.8/11 M10	Clean tec	.27 (short)	Titanium	6	5
	6.8/11 M10	Clean tec	.27 (short)	Black	7	6

4 OTHER ACCESSORIES


















Image	Accessory type	Accessory	Compatible with	Function
	Buffer	X-6-5-B	All pistons	
	Protective cap	X-6-SG MX	X-6-MX 72 magazine	
	Protective cap	X-6-SGF	X-6-F8, X-6-F10 fastener guides	
	Washer holder	X-6-5-WH	Collated nails using magazines	Fastening steel washers (23 and 36 mm)
	Scaffold hook	X-6-SH		Tool support
	Stabilizer	X-6-SL	DX Kwik studs	
	Centering device	X-6-5-F8GR-CD25	X-6-FGR	Positioning fastener guide
	Centering device	X-6-5-F8GR-CD30	X-6-FGR	Positioning fastener guide
	Receptacle	X-6-PT, X-6-PT RBR		
	Extension tube	X-PT 3 FT		

Image	Accessory type	Accessory	Compatible with	Function
	Extension tube	X-PT 1FT		
	Pole tool	X-PT 2		
	Tube and sleeve assembly	X-6-T8 N15	X-6-F8 N15	
	Tube and sleeve assembly	X-6-T8 N10	X-6-F8 N10	
	Tube and sleeve assembly	X-6-TIE-L	X-6-FIE-L	
	Tube and sleeve assembly	X-6-5-TIE-XL	X-6-FIE-XL	
	Tube and sleeve assembly	X-6-FGR	X-6-FGR	